

## EPA Official Record

---

**Notes ID:** ABE60FD87C7E545E85257AF500583031

**From:** "Konieczko, Grady" <Grady.Konieczko@geotransinc.com>

**To:** Joe Lemay/R1/USEPA/US@EPA

**Copy To:** Clayton Smith <csmith@demaximis.com>; "Sullivan; Dave (Lowell; MA-US)" <DSullivan@trcsolutions.com>; "Bridge; Jay" <Jay.Bridge@geotransinc.com>; Jack Guswa <Jguswa@jgenviromental.com>; "joseph.coyne@state.ma.us" <joseph.coyne@state.ma.us>; "tcosgrave@harvardprojects.com" <tcosgrave@harvardprojects.com>; "Sheehan; Anne" <Anne.Sheehan@geotransinc.com>

**Delivered Date:** 07/27/2010 04:48 PM EDT

**Subject:** RE: Woburn Field Update - 7/27/10

ATTACHMENT: 072610\_Field Deviation Form.pdf  
Completed on Tuesday 7/27/10:

Unifirst/NE Quad annual sampling at wells S81M, S81D, and UC19.

Unifirst/Offsite VIA sampling at S81S.

We will be starting at UC19M (Unifirst/NE Quad annual sampling) and UC19S (Unifirst/Offsite VIA) tomorrow morning.

A field deviation form for the calibration for specific conductance from the SOP in the QAPP for Vapor Intrusion Assessment is attached. If you have any questions please let us know.

Thanks-

Grady

---

Grady Konieczko | Senior Project Environmental Scientist

Tel: 978.952.0120 | Fax: 978.952.0122 | Cell: 617.834.2634

Email: gkonieczko@geotransinc.com

GeoTrans, Inc | A Tetra Tech Company

One Monarch Drive, Suite 101, Littleton, MA 01460

[www.geotransinc.com](http://www.geotransinc.com)

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then deleting it from your system.

P Save Paper! Please consider the environment before printing this email. -  
072610\_Field Deviation Form.pdf